

# LED HELIOS

3000lm  
35W



PRODUCT LEAFLET

# LED HELIOS



*"It's like it PUNCHES a hole through the darkness!!"*

Garry Dallas



- A versatile and all-around source of light for communication and as a support light.
- Exceptionally compact size and low weight.
- Maximum light intensity of as much as 3000 lm.

Light source	3 × LED CREE® XPL	Max. length	101mm
Intensity	3000 lm	Max. diameter	48 mm
Distribution	11°	Weight/in water	223/100g
Material	Hard anodised aluminium / DELRIN®	Max. op. depth	200 m





MATERIAL	HARD ANODISED ALUMINIUM / DELRIN®
MAX. LENGTH	101 mm
MAX. DIAMETER	48 mm
FRONT GLASS	6 mm TEMPERED
WEIGHT	223 g
WEIGHT IN WATER	100 g
MAX. OPERATION DEPTH	200 m

LIGHT SOURCE	3 × LED CREE® XPL
LIGHT INTENSITY	3000 lm
LIGHT DISTRIBUTION	11°
TYPE OF OPTICS	1 X TRIPPLE LENS
TOTAL POWER	35 W
COLOUR TEMPERATURE	COOL WHITE
POWER SOURCE	EXTERNAL RECHARGEABLE BATTERY

## Operating time\*

SWITCH TYPE	MAGNETIC SWITCH 3 LEVELS OF LIGHT INTENSITY DISCHARGE WARNING MESSAGE BACKUP MODE
-------------	--

	ACCU TYPE 10 <b>2h 45'</b>
	ACCU TYPE 14 <b>3h 55'</b>
	ACCU TYPE 24 <b>7h</b>

\* measured at 100% light intensity

# AMMONITE<sup>®</sup>

S Y S T E M

AMMONITE SYSTEM

ul. Jasnogórska 18A

05-120 Legionowo

Poland

Phone:

+48 517 254 929

E-mail:

[info@ammonitesystem.com](mailto:info@ammonitesystem.com)

[www.ammonitesystem.com](http://www.ammonitesystem.com)